INDEX

Petroleum Transactions, Volume 216

(Plus References to Articles and Technical Notes Published in Journal of Petroleum Technology in 1959)

A

ACIDIZING: California oil wells to remove carbonate scales from production equipment and for well stimulation, (Art.) Feb. JPT, 19
completion practice of oil wells in Paradox Basin, Four Corners area, field case history, Aug. JPT, 18
ACID TREATMENT: evaluated from pressure build-up analysis, 38 (March JPT)
ACOUSTIC VELOCITY LOG: evaluation for measurement of formation porosity of porous media, 262 (Oct. JPT)
principle, equipment, and field operation, 106 (May JPT)
ADENA, J SAND UNIT: *See* Colorado
ALASKA: UMIAT FIELD: oil production from frozen reservoir rocks, (Tech. Note) Nov. JPT, 85
ALGER, R. P., et al.: *Sonic Logging*, 106 (May JPT)
ALLEN, H. H. and THOMAS, J. B.: *Pressure Maintenance in SACROC Unit Operations*, January 1, 1959 (Field Case Hist.) Nov. JPT, 42
ALUM-AMMONIA: water shut-off agent for sand-type porosity in air drilling, 163 (July JPT)
AMOTT, E.: *Observations Relating to the Wettability of Porous Rock*, 156; Summary June JPT, 73
ANDERSON, A. E., and HILL, H. J.: *Streaming Potential Phenomena in SP Log Interpretation*, 203 (Aug. JPT)
ANETH FIELD: *See* Utah
ANTELOPE SHALE ZONE UNIT: *See* California
AQUIFERS: design and operation as gas storage fields, 44 (March JPT)

B

BAILEY, H. R., and LARKIN, B. K.: *Heat Conduction in Underground Combustion*, 123; Summary May JPT, 74A
BAKER, J. D. et al.: *Prediction of Injection Rate and Production History for Multifluid Five-Spot Floods*, 98 (May JPT)
BAPTIST, O. C.: *Oil Production from Frozen Reservoir Rocks, Umiat, Alaska*, (Tech. Note) Nov. JPT, 85.
BARFIELD, E. C., et al.: *An Analysis of Large-Scale Flooding in the Fractured Spraberry Trend Area Reservoir*, (Art.) April JPT, 15
BARNARD, P. JR.: *A New Method of Restoring Water Injection Capacity to Wells Plugged with Iron Sulfide and Free Sulfur*, (Art.) Sept. JPT, 12
BECKER, F. L., and GOODWIN, R. J.: *The Use of Silicon Tetrafluoride Gas as a Formation Plugging Agent*, (Addendum to T.P. 8070), 168 (July JPT)
BEESON, D. M., and ORTLOFF, G. D.: *Laboratory Investigation of the Water-Driven Carbon Dioxide Process for Oil Recovery*, (Tech. Note) April JPT, 63
BELL, J. S.: *Engineer's Oil, A Challenge and An Opportunity*, (Art.) Nov. JPT, 11
BENTONITE SUSPENSIONS: fractionated: effect of particle size distribution and exchange cation on gel properties, (Tech. Note) Summary Dec. JPT, 74A
BERNSTEIN, F. and SCALA, C.: *Some Aspects of the Streaming Potential and the Electrochemical SP in Shales*, (Tech. Note) Summary Dec. JPT, 76
BERRY, J. E.: *Acoustic Velocity in Porous Media*, 262 (Oct. JPT)
BERRY, V. J. JR., et al.: *Effect of Composition and Temperature on Phase Behavior and Depletion Performance of Rich Gas-Condensate Systems*, (Tech. Note) July JPT, 58
BINGMAN, W. E.: *Turbodrill Components Appraised in Field Test Program*, (Art.) March JPT, 15
BITS: drill: life increased through use of extreme pressure lubricant drilling fluids, 195 (Aug. JPT)
BLACKWELL, R. J., et al: *Factors Influencing the Efficiency of Miscible Displacement*, 1 (Jan. JPT)
BOSSLER, D. P., et al: *Calculation of Relative Permeability from Displacement Experiments*, (Tech. Note) Jan. JPT, 61
BOTTOM-HOLE PRESSURE: field test confirms accuracy of new gauge, (Art.) Feb. JPT, 26
BOUNDARY CONDITIONS: elliptic: unsteady-state liquid flow through porous media, (Tech. Note) Summary Dec. JPT, 75
for problems in reservoir analysis: use of the method of characteristics in determining, 284; Summary Oct. JPT, 83
BOWIE, W. H.: *Conservation and Well Spacing*, (Art.) May JPT, 11
BRANTLY, M. M.: *Why French Turned to the Turbodrill*, (Art.) March JPT, 17
BRAY, R. K., et al: *Progress Report of LPG Injection in the Meadow Creek Unit, Lakota B Reservoir*, (Art.) July JPT, 26
BRINKLEY, T. W., et al: *Handling High Pressure Cycling Projects at Northwest Branch, Louisiana*, (Field Case Hist.) May JPT, 31
BROWN, K. E. and JESSEN, F. W.: *Effect of Pressure and Temperature on Cavities in Salt*, 341 (Dec. JPT)
BUCKLEY-LEVERETT THEORY: noncapillary: meaning of the triple-valued saturations, 271; Summary Oct. JPT, 82A
solution for one-dimensional, incompressible, noncapillary two-phase fluid flow in a porous medium, 290; Summary Oct. JPT, 84
BUILD-UP CURVES: *See also* Pressure Build-up Analyses
theoretical: comparison with field curves obtained from bottom-hole shut-in tests, (Tech. Note) Aug. JPT, 49
BURDYN, R. F., et al: *Water-In-Oil Emulsion Cements*, 252 (Oct. JPT)
BUSINESS: engineer looks at the current plight, (Art.) Sept. JPT, 11

C

CALHOUN, J. C. JR.: *The Engineer—Who Is He?*, (Art.) June JPT, 11
CALIFORNIA: ANTELOPE SHALE ZONE UNIT, BUENA VISTA HILLS: acid treatment of oil wells, (Art.) Feb. JPT, 19
Rincon Island development: mechanical-production aspects, (Art.) March JPT, 33
tidelands: drilling from floating vessels now economically carried out, (Art.) Sept. JPT, 35
CALLAWAY, F. H.: *Evaluation of Waterflood Prospects*, (Art.) Oct. JPT, 11
CAMPBELL, J. M.: *Another Look at Future Demand for Petroleum Engineers: We Can Prevent the Shortage*, (Art.) Dec. JPT, 14
CANADA: FOSTERTON FIELD: an unusual problem of bottom water coning and volumetric water invasion efficiency, 130 (June JPT)
CAPILLARY PRESSURE: effect on two-phase fluid flow in a porous medium, 147; Summary June JPT, 70A
included in a numerical solution of the linear displacement equation, (Tech. Note) Aug. JPT, 45
CAPILLARY TUBE VISCOMETER: improved high pressure type, 85; Summary April JPT, 71
CARBON DIOXIDE AND WATER SYSTEM: improved pendant drop apparatus and data, (Tech. Note) Summary Dec. JPT, 77
CARBON DIOXIDE FLOODING: laboratory investigation of water-driven process for oil recovery, (Tech. Note) April JPT, 63

slug followed by water increased oil recovery, 225 (Sept. JPT)
CARDWELL, W. T. JR., et al: *One-Dimensional, Incompressible, Noncapillary, Two-Phase Fluid Flow in a Porous Medium*, 290; Summary Oct. JPT, 84
CARDWELL, W. T. JR.: *The Meaning of the Triple Value in Noncapillary Buckley-Leverett Theory*, 271; Summary Oct. JPT, 82A
CASING: field evaluation of cathodic protection, 358 (Dec. JPT)
CATHODIC PROTECTION: field evaluation for casing, 358 (Dec. JPT)
CAUDLE, B. H. and WITTE, M. D.: *Production Potential Changes During Sweep-Out in a Five-Spot System*, (Tech. Note) Dec. JPT, 63
CEMENTS: composition and properties of water-in-oil emulsion type, 252 (Oct. JPT)
CHATENEVER, A., et al: *Microscopic Observations of Solution Gas-Drive Behavior*, (Art.) June JPT, 13
CHERRYKIRK FIELD: *See* Texas
CHEW, J. N., and CONNALLY, C. A. JR.: *A Viscosity Correlation for Gas-Saturated Crude Oils*, 23 (Feb. JPT)
CHUOKE, R. L., et al: *The Instability of Slow, Immiscible Viscous Liquid-Liquid Displacement in Permeable Media*, 188; Summary July JPT, 64
CISCO K-1 RESERVOIR: *See* Texas
CLANTON, J. L., et al: *Equilibrium Calculations on the Kelly-Snyder Reservoir*, (Tech. Note) Sept. JPT, 92
COATS, K. H., et al: *Effect of Unsteady-State Aquifer Motion on the Size of an Adjacent Gas Storage Reservoir*, 18 (Feb. JPT)
COATS, K. H., et al: *Method for Predicting the Behavior of Mutually Interfering Gas Reservoirs Adjacent to a Common Aquifer*, 247; Summary Sept. JPT, 231A
COATS, K. H., et al: *Unsteady-State Liquid Flow Through Porous Media Having Elliptic Boundaries* (Tech. Note) Summary Dec. JPT, 75
COLLINS, R. E.: *Fluid Migration Across Fixed Boundaries in Reservoirs Producing by Fluid Expansion*, 78; Summary April JPT, 74
COLORADO: ADENA J SAND UNIT: integrated design of lease programming and custody transfer facilities, (Art.) June JPT, 16
novel pressure maintenance operation, (Art.) Aug. JPT, 13
COMBUSTION METHOD OF OIL RECOVERY: *See* Thermal Recovery of Oil
COMPETITION: between natural gas and products of crude oil at consumer level, (Art.) May JPT, 13
COMPLETION PRACTICE: dual: for oil and gas wells, (Art.) Dec. JPT, 24
high pressure gas wells—mechanics and problems, (Art.) Jan. JPT, 35
oil wells in Paradox Basin, field case history, Aug. JPT, 18
COMPOSITION OF INJECTION GAS: control in enriched gas-drive projects, (Tech. Note) June JPT, 63
COMPUTER CHART: for calculating the dip from a conventional dip-log, (Art.) Sept. JPT, 23
COMPUTERS: analog and digital: application in computing theoretical pressure build-up curves, (Tech. Note) Aug. JPT, 49
use in computing techniques for water-drive reservoirs, (Tech. Note) June JPT, 65
digital: critical study of use in a petroleum engineering operation, (Art.) May JPT, 19
Datatron 205 study of heat conduction in underground combustion, 123; Summary May JPT, 74A
IBM 650 study of effect of unsteady-state aquifer motion on the size of an adjacent gas storage reservoir, 18 (Feb. JPT)
IBM 650; equilibrium calculations on the Kelly-Snyder reservoir, (Tech. Note) Sept. JPT, 92
IBM 704; predicting the behavior of mutually interfering gas reservoirs adjacent to a common aquifer, 247; Summary Sept. JPT, 231A
IBM 704; application to numerical solution of the linear displacement equation with capillary pressure, (Tech. Note) Aug. JPT, 45
used in study of unusual problem of bottom water coning and volumetric water invasion efficiency, Fosterton field, Canada, 130 (June JPT)
CONCEPT: the power of it, (Art.) July JPT, 11
CONDENSATE: calculating recovery by cycling reservoirs of various permeability variations, (Art.) Jan. JPT, 29
rich: effect of composition and temperature on phase behavior and depletion performance, (Tech. Note) July JPT, 58
CONLEY, F. R., et al.: *Field Consolidation of Fractured Core*, (Art.) Dec. JPT, 35
CONNALLY, C. A. JR., and CHEW, J. N.: *A Viscosity Correlation for Gas-Saturated Crude Oils*, 23 (Feb. JPT)
CONSERVATION: rules and practices in regard to well spacing, (Art.) May JPT, 11
COOK, R. L.: *Effect of Gas Saturation on Static Pressure Calculations from Two-Phase Pressure Build-up Curves*, 49; Summary March JPT, 64A
CORE ANALYSIS: effect of gypsum on results, 221 (Sept. JPT)
CORES: percussion sidewall: alteration of rock properties, (Tech. Note) April JPT, 59
sandstone: correlation of k_g/k_o data with core characteristics, 258 (Oct. JPT)
CORPORATIONS: how they are financed, (Art.) Feb. JPT, 31
COSTS: development: decreased by slim-hole drilling, (Art.) July JPT, 19
CRAWFORD, P. B., et al.: *A New Experimental Model for Studying Transient Phenomena*, 33; Summary Feb. JPT, 22A
CRAWFORD, P. B., et al.: *Swept Areas After Breakthrough in Vertically Fractured Five-Spot Patterns*, 73; Summary April JPT, 70
CRAWFORD, P. B. and LANDRUM, B. L.: *Transient Pressure Distribution in Fluid Displacement Programs*, (Tech. Note) Nov. JPT, 89
CRITTENDON, B. C.: *The Mechanics of Design and Interpretation of Hydraulic Fracture Treatments*, (Art.) Oct. JPT, 21
CRUDE OIL: effects of components on rock wettability, 330 (Nov. JPT)
gas-saturated viscosity correlation, 23 (Feb. JPT)
CUNNINGHAM, R. A., and EENINK, J. G.: *Laboratory Study of Overburden, Formation and Mud Column Pressures on Drilling Rate of Permeable Formations*, 9 (Jan. JPT)
CUPPS, C. Q., et al.: *Properties and Behavior of Reservoir Oil in the Aneth Field, Utah*, (Field Case Hist.) Nov. JPT, 33
CURRICULA TRENDS: engineering education's need for five-year course, (Art.) Aug. JPT, 23
CUSTODY TRANSFER: integrated design of facilities, (Art.) June JPT, 16
CYCLING: Northwest Branch field: handling high pressure projects, field case history, May JPT, 31
retrograde condensate reservoir, calculating recovery for various permeability variations, (Art.) Jan. JPT, 29

D

DARDAGANIAN, S. G., et al.: *Equilibrium Calculations on the Kelly-Snyder Reservoir*, (Tech. Note) Sept. JPT, 92
DAVIS, G. T., et al.: *Effect of Crude Oil Components on Rock Wettability*, 330 (Nov. JPT)
DAVIS, W. B., and SCHWEIZER, J. L.: *Natural Gas—Partner and Competitor*, (Art.) May JPT, 13
DAWSONGROVE, G. E., and WEBSTER, G. M.: *The Alteration of Rock Properties by Percussion Sidewall Coring*, (Tech. Note) April JPT, 59
DEW, J. N., et al: *Progress Report of LPG Injection in the Meadow Creek Unit, Lakota B Reservoir*, (Art.) July JPT, 26
DENEKAS, M. O., et al.: *Effect of Crude Oil Components on Rock Wettability*, 330 (Nov. JPT)
DENSITY LOGGING: application in the Rocky Mountain area, (Art.) Dec. JPT, 29
DEPLETION PERFORMANCE: rich gas-condensate systems, effect of composition and temperature, (Tech. Note) July JPT, 58

DESIGN: hydraulic fracture treatments, (Art.) Oct. JPT, 21
DETERGENT FLOODING: mathematical description in oil reservoirs, 277; Summary Oct. JPT, 83
DEWAR, R. M.: *Acid Stimulation of a Fractured Shale Zone*, (Art.) Feb. JPT, 19
DICKEY, P. A.: *The First Oil Well*, (Art.) Jan. JPT, 14
DIFFUSION EFFECTS: evaluation of, in miscible displacement (Tech. Note) March JPT, 61
DIP-LOG: computer chart for determining the dip, (Art.) Sept. JPT, 23
DISCOUNTED CASH FLOW METHOD: use in determining fair market values, (Art.) Nov. JPT, 15
DISPLACEMENT EFFICIENCY: oil: improving by wettability adjustment, 65 (April JPT)
DISPLACEMENT MECHANISM: linear: numerical solution including the capillary pressure term, (Tech. Note) Aug. JPT, 45
microscopic observations of solution gas-drive behavior, (Art.) June JPT, 13
DISPLACEMENT OF OIL BY WATER OR GAS: meaning of the triple valued saturations in noncapillary Buckley-Leverett theory, 271; Summary Oct. JPT, 82A
DISPOSAL WELLS: treatments to improve the performance, (Art.) Sept. JPT, 37
DOH, C. A., et al.: *Sonic Logging*, 106 (May JPT)
DOUGLAS, J. JR., et al.: *A Method for Calculating Multi-Dimensional Immiscible Displacement*, 297; Summary Oct. JPT, 85
DRAKE WELL: first oil well, (Art.) Jan. JPT, 14
DRILLING: air: water shut-off method for sand-type porosity, 163 (July JPT)
future development of water control method, (Art.) Dec. JPT, 37
developments: slim-hole technology—an economic key to the future, (Art.) July JPT, 16
slim-hole technology—relating performance to South Louisiana drilling problems, (Art.) Oct. JPT, 17
effects of pore and confining pressures on failure characteristics of sedimentary rocks, 26; Summary Feb. JPT, 72A
from floating vessels now economically carried out off California coast, (Art.) Sept. JPT, 35
rotary: laboratory study of rock breakage, 92 (May JPT); discussion, Dec. JPT, 79
slim holes decrease Carter's development costs, (Art.) July JPT, 19
DRILLING FLUIDS: effect of particle size distribution and exchange cation on gel properties of fractionated bentonite suspensions, (Tech. Note) Summary Dec. JPT, 74A
extreme pressure lubricant type increase drill bit life, 195 (Aug. JPT)
DRILLING RATES: permeable formations, laboratory study of effect of overburden, formation and mud column pressures, 9 (Jan. JPT)
phenomena affecting at depth, 232 (Sept. JPT)
DUNLAP, I. R., et al: *Water-In-Oil Emulsion Cements*, 252 (Oct. JPT)
DYES, A. B. and MILLER, C. C.: *Maximum Reservoir Worth—Proper Well Spacing*, 334 (Nov. JPT)

E

EAKIN, B. E., and ELLINGTON, R. T.: *Improved High Pressure Capillary Tube Viscometer*, 85; Summary April JPT, 71
ECKLES, W. W., JR.: *Pressure Maintenance Programs and Model Studies*, (Art.) Dec. JPT, 17
ECONOMIC EVALUATIONS: method for rapid evaluation of projects with minimum of data and calculations, (Art.) Nov. JPT, 20
ECONOMICS: and finance—the roots of corporate enterprise, (Art.) Feb. JPT, 31
ECONOMIC SURVIVAL: drilling: slim-hole technology is key to future developments, (Art.) July JPT, 16
EDUCATION: *See* Engineering Education
EDWARDS, J. M.: *The Application of Density Logging in the Rocky Mountain Area*, (Art.) Dec. JPT, 29
EENINK, J. G., and CUNNINGHAM, R. A.: *Laboratory Study of Overburden, Formation and Mud Column Pressures on Drilling Rate of Permeable Formations*, 9 (Jan. JPT)
EFFICIENCY: rotary drilling: laboratory study of rock breakage, 92 (May JPT)
sweep: after breakthrough in vertically fractured five-spot patterns, 73; Summary April JPT, 70
for multifluid five-spot flood, 98 (May JPT)
ELECTROCHEMICAL POTENTIAL: effects on SP log in shales, (Tech. Note) Summary Dec. JPT, 76
ELENBAAS, J. R., et al.: *Design of Gas Storage Fields*, 44 (March JPT)
ELKINS, L. F.: *Fosterton Field—An Unusual Problem of Bottom Water Coning and Volumetric Water Invasion Efficiency*, 130 (June JPT)
ELLENBERGER, A. R., and HOLBREN, J. H.: *Flood Water Analyses and Interpretation*, (Art.) June JPT, 22
ELLINGTON, R. T., and EAKIN, B. E.: *Improved High Pressure Capillary Tube Viscometer*, 85; Summary April JPT, 71
ELLIOTT, J. K., and JOHNSON, H. C.: *Control of Injection Gas Composition in Enriched Gas-Drive Projects*, (Tech. Note) June JPT, 63
EMULSION CEMENTS: *See* Cements
ENERGY: requirements of the U. S.; petroleum's place in the future, (Art.) July JPT, 22
ENGINEER: who is he and how does one recognize him? (Art.) June JPT, 11
ENGINEERING EDUCATION: drastic decrease forecast in number of petroleum engineering graduates, (Art.) April JPT, 11
trends indicate need for the five-year curricula, (Art.) Aug. JPT, 23
ENGINEERING FUNCTIONS: application in unitization, (Art.) Oct. JPT, 30
ENGINEER'S OIL: challenge and opportunity to provide technological advances, (Art.) Nov. JPT, 11
ENGINEER'S OUTLOOK: current plight of business and industry, (Art.) Sept. JPT, 11
ENRICHED GAS DRIVE: control of injection gas composition, (Tech. Note) June JPT, 63
EQUILIBRIUM RATIOS: calculations on the Kelly-Snyder reservoir, (Tech. Note) Sept. JPT, 92
EXCHANGE CATION: effect on gel properties of fractionated bentonite suspensions, (Tech. Note) Summary Dec. JPT, 74A

F

FATT, I.: *Pressure Transients In Porous Media Containing Dead-End Volume*, (Tech. Note) Dec. JPT, 66
FATT, I., and KLIKOFF, W. A. JR.: *Effect of Fractional Wettability on Multiphase Flow Through Porous Media*, (Tech. Note) Oct. JPT, 71
FAYERS, F. J., and LEE, E. H.: *The Use of the Method of Characteristics in Determining Boundary Conditions for Problems in Reservoir Analysis*, 284; Summary Oct. JPT, 83
FAYERS, F. J., and PERRINE, R. L.: *Mathematical Description of Detergent Flooding in Oil Reservoirs*, 277; Summary Oct. JPT, 83
FAYERS, F. J., and SHELDON, J. W.: *The Effect of Capillary Pressure and Gravity on Two-Phase Fluid Flow in a Porous Medium*, 147; Summary June JPT, 70A
FEATHERSTON, A. B., et al.: *Minimization of Scale Deposits in Oil Wells by Placement of Phosphates in Producing Zones*, (Art.) March JPT, 29
FELSENTHAL, M.: *Correlation of k_g/k_o Data with Sandstone Core Characteristics*, 258 (Oct. JPT)
FITCH, J. L., and HURD, B. G.: *The Effect of Gypsum on Core Analysis Results*, 221 (Sept. JPT)
FLAHERTY, R.: *Mechanical-Production Aspects of Rincon Island Development*, (Art.) March JPT, 33
FLANAGAN, D. A., et al.: *A New Experimental Model for Studying Transient Phenomena*, 33; Summary Feb. JPT, 22A
FLATT, H. J.: *Slim-Hole Drilling Decreases Carter's Develop-*

ment Costs, (Art.) July JPT, 19
FLOATING VESSELS: drilling now economically carried out off California coast, (Art.) Sept. JPT, 35
FLUID COMMUNICATION: within mutually interfering gas reservoirs; method of predicting the behavior, 247; Summary Sept. JPT, 231A
FLUID FLOW: effect of nonlinear behavior of elastic porous media, 179; Summary July JPT, 70
effect of unsteady-state aquifer motion of the size of an adjacent gas storage reservoir, 18 (Feb. JPT)
laboratory model study of transient pressure distributions, (Tech. Note) Nov. JPT, 89
liquid: unsteady state, through porous media having elliptic boundaries, (Tech. Note) Summary Dec. JPT, 75
method for calculating multi-dimensional immiscible displacement, 297; Summary Oct. JPT, 85
migration across fixed boundaries in reservoirs producing by fluid expansion, 78; Summary April JPT, 74
multiphase: effect of fractional wettability, (Tech. Note) Oct. JPT, 71
new experimental model for studying unsteady-state depletion, 33; Summary Feb. JPT, 22A
one-dimensional, incompressible, noncapillary, two-phase flow in porous media, 290; Summary Oct. JPT, 84
simplified equations for gas drive reservoirs and the theoretical foundation of multiphase pressure build-up analyses, 321 (Oct. JPT)
two-phase, effect of capillary pressure and gravity in a porous medium, 147; Summary June JPT, 70A
use of heat in combination with solvents to clean up formation, (Art.) Oct. JPT, 33
FLUID INJECTION: use of hot fluids in reservoir heating, 312; Summary Nov. JPT, 96A
FLUID PRESSURE: laboratory study indicates significant effect on resistivity of reservoir rock, (Art.) April JPT, 20
FLUID SATURATION: three component: measuring in core by X-ray techniques, 216; Summary Aug. JPT, 58
FOREIGN PRODUCTION REVIEW: United States intensifies quest for foreign oil; Russia expands in world markets during 1958, (Art.) Feb. JPT, 14
FORMATION DAMAGE: laboratory studies of effect in sands containing clays, 209 (Aug. JPT)
FORMATION FRACTURES: acid stimulation of a fractured shale zone in California wells, (Art.) Feb. JPT, 19
analysis of large-scale water flooding in the Spraberry Trend area reservoir, (Art.) April JPT, 15
effect of gas-oil ratio on the behavior of limestone reservoirs, (Tech. Note) May JPT, 68
vertical: swept areas after breakthrough for five-spot patterns, 73; Summary April JPT, 70
FORMATION FRACTURING: hydraulic: influence of propping sand wettability on productivity of oil wells, 324 (Nov. JPT)
mechanics of design and interpretation, (Art.) Oct. JPT, 21
mechanics of sand movement, (Tech. Note) July JPT, 55
results in waterflood operations in Kermit, Cherrykirk and Pecos Valley fields, (Art.) Sept. JPT, 15
FOSTERTON FIELD: *See* Canada
FOUR CORNERS AREA: Paradox Basin: how oil wells are completed, field case history, Aug. JPT, 18
FRACTURED CORE: consolidated in the field with rubber sleeved core barrel and polyester resin impregnation technique, (Art.) Dec. JPT, 35
FRACTURED RESERVOIRS: *See* Formation Fractures
FRANCE: utilization of Turbodrill, (Art.) March JPT, 17
FREE ENTERPRISE SYSTEM: effect of petroleum production on growth, (Art.) April JPT, 44
FREE SULFUR: plugged wells: new method of restoring water injection capacity, (Art.) Sept. JPT, 12
FRY, J., et al.: *Properties and Behavior of Reservoir Oil in the Aneth Field, Utah*, (Field Case Hist.) Nov. JPT, 33
FUEL CONCENTRATION: for thermal recovery process, 115; Summary May JPT, 75
FUNCTIONS: of the engineer; chiefly the control of environment, (Art.) June JPT, 11

G

GARNIER, A. J., and VAN LINGEN, N. H.: *Phenomena Affecting Drilling Rates at Depth*, 232 (Sept. JPT)
GAS CONDENSATE: *See* Condensate
GAS CYCLING: effect of vertical fractures on the areas swept after breakthrough in five-spot patterns, 73; Summary April JPT, 70
GAS DRIVE: experiments: calculation of relative permeability, (Tech. Note) Jan. JPT, 61
GAS DRIVE RESERVOIRS: simplified equations of flow and the theoretical foundation of multiphase pressure build-up analyses, 321 (Oct. JPT)
GASES: viscosity at high pressures with improved capillary tube viscometer, 85; Summary April JPT, 71
GAS NUCLEATION: during displacement of oil by solution gas drive, (Art.) June JPT, 13
GAS-OIL RATIO: effect on behavior of fractured limestone reservoirs, (Tech. Note) May JPT, 68
GAS RESERVOIRS: mutually interfering and adjacent to a common aquifer: method for predicting behavior, 247; Summary Sept. JPT, 231A
GAS SATURATION: free, effect on static pressure calculations from two-phase pressure build-up curves, 49; Summary March JPT, 64A
GAS WELLS: high pressure: mechanics and problems of completing, (Art.) Jan. JPT, 35
GEBO FIELD: *See* Wyoming
GILCHRIST, R. E., and NEILSEN, R. F.: *Transfer of Fluid Components in a Porous Medium at Constant Saturation and Fluid Velocity*, (Tech. Note) Jan. JPT, 57
GLANVILLE, C. R.: *Laboratory Study Indicates Significant Effect of Pressure on Resistivity of Reservoir Rocks*, (Art.) April JPT, 20
GLOVER, J. A., et al.: *Field Consolidation of Fractured Core*, (Art.) Dec. JPT, 35
GOODWIN, R. J., and BECKER, F. L.: *The Use of Silicon Tetrafluoride Gas as a Formation Plugging Agent*, (Addendum to T.P. 8070) 168 (July JPT)
GOODWIN, R. J., and TEPLITZ, A. J.: *A Water Shut-Off Method for Sand-Type Porosity in Air Drilling*, 163 (July JPT)
GRAHAM, J. W., et al.: *Influence of Propping Sand Wettability on Productivity of Hydraulically Fractured Oil Wells*, 324 (Nov. JPT)
GRAHAM, J. W., and RICHARDSON, J. G.: *Theory and Application of Imbibition Phenomena in Recovery of Oil*, (Tech. Note) Feb. JPT, 65
GRAVITY: forces: effect on two-phase fluid flow in a porous medium, 147; Summary June JPT, 70A
GREATHOUSE, W. D., et al.: *Field Evaluation of Cathodic Protection of Casing*, 354 (Dec. JPT)
GREEN, K. D.: *Discussion on Field Test Confirms Accuracy of New Bottom-Hole Pressure Gauge*, (Art.) Feb. JPT, 30
GROVENBURG, W. W., et al.: *An Integrated Design of Lease Programing and Custody Transfer Facilities*, (Art.) June JPT, 16
GUERRERO, E. T., and LANGENHEIM, R. L.: *Trends in Engineering Education Indicate Need for Five-Year Curricula*, (Art.) Aug. JPT, 23
GYPSUM: effect on core analysis results, 221 (Sept. JPT)

H

HANDIN, J.: *Discussion on Laboratory Study of Effect of Overburden, Formation and Mud Column Pressures on Drilling Rate of Permeable Formations*, 15 (Jan. JPT)
HANDY, L. L.: *An Evaluation of Diffusion Effects in Miscible Displacement*, (Tech. Note) March JPT, 61
HARBERT, L. L., et al.: *Progress Report of LPG Injection in the Meadow Creek Unit, Lakota B Reservoir*, (Art.) July JPT, 26
HARDY, W. C., and MCARTHUR, B. W.: *Application of Lab-*

oratory Data in Calculating the Primary Production History of the Cisco K-1 Reservoir, (Tech. Note) Feb. JPT, 61

HARPER, G. M.: *Dual Completion Practice for Oil and Gas Wells*, (Art.) Dec. JPT, 22

HARTHORN, W. A., and LOZANO, G.: *Field Test Confirms Accuracy of New Bottom-Hole Pressure Gauge*, (Art.) Feb. JPT, 26

HEAT: use in combination with solvents to clean up formation flow channels, (Art.) Oct. JPT, 33

HEAT CONDUCTION: *See also* Heat Transfer
transient: analytical solutions for linear and radial systems; underground combustion process, 123; Summary May JPT, 74A
during radial movement of a cylindrical heat source, applications to the thermal recovery process, 115; Summary May JPT, 75

HEUER, G. J., et al.: *An Improved Pendant Drop, Interfacial Tension Apparatus and Data for Carbon Dioxide and Water*, (Tech. Note) Summary Dec. JPT, 77

HICKS, A. L., et al.: *Computing Techniques for Water-Drive Reservoirs*, (Tech. Note) June JPT, 65

HILL, H. J., and ANDERSON, A. E.: *Streaming Potential Phenomena in SP Log Interpretation*, 203 (Aug. JPT)

HISTORY: Petroleum Industry: first oil well, (Art.) Jan. JPT, 14
one hundred years of progress in petroleum production engineering, (Art.) Jan. JPT, 11

HOLBEN, J. H., and ELLENBERGER, A. R.: *Flood Water Analyses and Interpretation*, (Art.) June JPT, 22

HOLM, L. W.: *Carbon Dioxide Solvent Flooding for Increased Oil Recovery*, 225 (Sept. JPT)

HOUGH, E. W., et al.: *An Improved Pendant Drop, Interfacial Tension Apparatus and Data for Carbon Dioxide and Water*, (Tech. Note) Summary Dec. JPT, 77

HURD, B. G., and FITCH, J. L.: *The Effect of Gypsum on Core Analysis Results*, 221 (Sept. JPT)

HUTCHINSON, T. S., and SIKORA, V. J.: *A Generalized Water-Drive Analysis*, 169 (July JPT)

I

IMBIBITION PHENOMENA: theory and application in recovery of oil, (Tech. Note) Feb. JPT, 65

IMMISCIBLE DISPLACEMENT: method for calculating multi-dimensional flow of water displacing oil from porous, water-wet rock, 297; Summary Oct. JPT, 85
slow, viscous liquid-liquid: instability in permeable media, 188; Summary July JPT, 64

INCOME: natural gas as added source to crude oil producers, (Art.) May JPT, 13

INDRA, M. K., et al.: *Microscopic Observations of Solution Gas-Drive Behavior*, (Art.) June JPT, 13

INFLUENCE FUNCTIONS: use in computing techniques for water-drive reservoirs, (Tech. Note) June JPT, 65

INJECTION GAS: control of composition in enriched gas-drive projects, (Tech. Note) June JPT, 63

INJECTION RATE: prediction for multifluid five-spot floods, 98 (May JPT)

INJECTION WATER: discussion and interpretation of various flood water analyses, (Art.) June JPT, 22

INJECTION WELLS: treatments to improve performance, (Art.) Sept. JPT, 37

INTERFACIAL TENSION: improved pendant drop apparatus and data for carbon dioxide and water, (Tech. Note) Summary Dec. JPT, 77

INTERFERENCE: within gas reservoirs adjacent to a common aquifer; method for predicting behavior, 247; Summary Sept. JPT, 231A

INVASION: some effects on SP curve, 138 (June JPT)

INVASION EFFICIENCY: water: Fosterton field, Canada; an unusual problem, 130 (June JPT)

IRON SULFIDE: plugged wells: new method of restoring water injection capacity, (Art.) Sept. JPT, 12

ISOCHRONAL TEST: use in calculation of the stabilized performance coefficient of low permeability natural gas wells, 240 (Sept. JPT)

J

JACOBY, R. H., et al: *Effect of Composition and Temperature on Phase Behavior and Depletion Performance of Rich Gas-Condensate Systems*, (Tech. Note) July JPT, 58

JESSEN, F. W., and BROWN, K. E.: *Effect of Pressure and Temperature on Cavities in Salt*, 341 (Dec. JPT)

JESSEN, F. W., and MUNGAN, N.: *The Effect of Particle Size Distribution and Exchange Cation on Gel Properties of Fractionated Bentonite Suspensions*, (Tech. Note) Summary Dec. JPT, 74A

JEWETT, R. L., et al.: *Prediction of Injection Rate and Production History for Multifluid Five-Spot Floods*, 98 (May JPT)

JOHNSON, E. F., et al.: *Calculation of Relative Permeability from Displacement Experiments*, (Tech. Note) Jan. JPT, 61

JOHNSON, G. W.: *Exploitation of Oil Shale Deposits by Nuclear Explosives*, (Art.) June JPT, 29

JOHNSON, H. C., and ELLIOTT, J. K.: *Control of Injection Gas Composition in Enriched Gas-Drive Projects*, (Tech. Note) June JPT, 63

JONES, J. M.: *Experts Discuss Future of the Turbodrill*, (Art.) March JPT, 14

JONES, J. M.: report on: *Slim Hole Technology—An Economic Key to Future Drilling Developments*, (Art.) July JPT, 16

JONES-PARRA, J., and REYTOR, R. S.: *Effect of Gas-Oil Ratio on the Behavior of Fractured Limestone Reservoirs*, (Tech. Note) May JPT, 68

JORDAN, J. K., et al.: *An Analysis of Large-Scale Flooding in the Fractured Spraberry Trend Area Reservoir*, (Art.) April JPT, 15

K

KAISER, A. D., JR., et al.: *Laboratory Studies of Formation Damage in Sands Containing Clays*, 209 (Aug. JPT)

KATZ, D. L., et al.: *Design of Gas Storage Fields*, 44 (March JPT)

KATZ, D. L., et al.: *Effect of Unsteady-State Aquifer Motion on the Size of an Adjacent Gas Storage Reservoir*, 18 (Feb. JPT)

KATZ, D. L., et al.: *Method for Predicting the Behavior of Mutually Interfering Gas Reservoirs Adjacent to a Common Aquifer*, 247; Summary Sept. JPT, 231A

KATZ, D. L., et al.: *Unsteady-State Liquid Flow Through Porous Media Having Elliptic Boundaries*, (Tech. Note) Summary Dec. JPT, 75

KELLY-SNYDER RESERVOIR: *See* Texas

KENNEDY, H. T., et al.: *Equilibrium Calculations on the Kelly-Snyder Reservoir*, (Tech. Note) Sept. JPT, 92

KERMIT FIELD: *See* Texas

KERN, L. R., et al.: *The Mechanics of Sand Movement in Fracturing*, (Tech. Note) July JPT, 55

KILSDONK, R. A.: *Completing High Pressure Gas Wells—Mechanics and Problems*, (Art.) Jan. JPT, 35

KIRK, E. JR., et al.: *Handling High Pressure Cycling Projects at Northwest Branch, Louisiana*, (Field Case Hist.) May JPT, 31

KLEPPINGER, K. B., et al.: *An Integrated Design of Lease Programing and Custody Transfer Facilities*, (Art.) June JPT, 16

KLIKOFF, W. A., JR., and FATT, I.: *Effect of Fractional Wettability on Multiphase Flow Through Porous Media*, (Tech. Note) Oct. JPT, 71

KNUTSON, C. F., et al.: *Field Consolidation of Fractured Core*, (Art.) Dec. JPT, 35

KOELLER, R. C., et al.: *Effect of Composition and Temperature on Phase Behavior and Depletion Performance of Rich Gas-Condensate Systems*, (Tech. Note) July JPT, 58

KYTE, J. R., et al.: *Microscopic Observations of Solution Gas-Drive Behavior*, (Art.) June JPT, 13

L

LABORATORY STUDIES: formation damage in sands containing clays, 209 (Aug. JPT)
investigation of phenomena affecting drilling, rates at depth, 232 (Sept. JPT)
rock breakage by rotary drilling, 92 (May JPT); discussion, Dec. JPT, 78A

LAIRD, A. D. K., and PUTNAM, J. A.: *Three Component Saturation in Porous Media by X-Ray Techniques*, 216; Summary Aug. JPT, 58

LANDERS, J. E., et al.: *Field Evaluation of Cathodic Protection of Casing*, 354 (Dec. JPT)

LANDIS, B. A., JR.: *A Summary of Unitization and the Engineering Functions in Unitization*, (Art.) Oct. JPT, 30

LANDRUM, B. L., et al.: *A New Experimental Model for Studying Transient Phenomena*, 33; Summary Feb. JPT, 22A

LANDRUM, B. L., et al.: *Swept Areas After Breakthrough in Vertically Fractured Five-Spot Patterns*, 73; Summary April JPT, 70

LANDRUM, B. L., and CRAWFORD, P. B.: *Transient Pressure Distribution in Fluid Displacement Programs*, (Tech. Note) Nov. JPT, 89

LANGENHEIM, R. L., and GUERRERO, E. T.: *Trends in Engineering Education Indicate Need for Five-Year Curricula*, (Art.) Aug. JPT, 23

LANGENHEIM, R. H., and MARX, J. W.: *Reservoir Heating by Hot Fluid Injection*, 312; Summary Nov. JPT, 96A

LARKIN, B. K., and BAILEY, H. R.: *Heat Conduction in Underground Combustion*, 123; Summary May JPT, 74A

LEACH, R. O.: *Discussion on Effect of Fractional Wettability on Multiphase Flow Through Porous Media*, (Tech. Note) Oct. JPT, 71

LEACH, R. O., and WAGNER, O. R.: *Improving Oil Displacement Efficiency by Wettability Adjustment*, 65 (April JPT)

LEASE PROGRAMING: integrated design of facilities, (Art.) June JPT, 16

LEDBETTER, R. L., et al.: *Computing Techniques for Water-Drive Reservoirs*, (Tech. Note) June JPT, 65

LEE, E. H., and FAYERS, F. J.: *The Use of the Method of Characteristics in Determining Boundary Conditions for Problems in Reservoir Analysis*, 284; Summary Oct. JPT, 83

LEHMAN, J. J., et al.: *Field Evacuation of Cathodic Protection of Casing*, 354 (Dec. JPT)

LOG INTERPRETATION: streaming potential phenomena in SP, 203 (Aug. JPT)

LOUISIANA: Northwest Branch field, handling high pressure cycling projects, field case history, May JPT, 31
South: relating slim-hole drilling performance to drilling problems, (Art.) Oct. JPT, 17

LOZANO, G., and HARTHORN, W. A.: *Field Test Confirms Accuracy of New Bottom-Hole Pressure Gauge*, (Art.) Feb. JPT, 26

LPG INJECTION: progress report on the Meadow Creek unit, Lakota B reservoir, Wyoming, (Art.) Juy JPT, 26

LUBRICATING ADDITIVES: pressure increases drill bit life through use of drilling fluids, 195 (Aug. JPT)

LYLE, H. N.: *Your Oil Industry and You*, (Art.) March JPT, 12

M

MAC ALISTER, R. S., JR.: *How Oil Wells Are Completed in the Paradox Basin*, (Field Case Hist.) Aug. JPT, 18

MAIHAK: bottom-hole pressure gauge: field test confirms accuracy, (Art.) Feb. JPT, 26

MALONE, B. C., and STOKEY, E. W.: *New Technique for Positive Testing of Wildcat Formations*, (Art.) Dec. JPT, 25

MANAGERS: the engineering of, (Art.) Dec. JPT, 11

MARKET VALUE: discounted-cash-flow method as a measure, (Art.) Nov. JPT, 15

MARTIN, J. C.: *Simplified Equations of Flow in Gas Drive Reservoirs and the Theoretical Foundation of Multiphase Buildup Analyses*, 309 (Oct. JPT)

MARX, J. W., and LANGENHEIM, R. H.: *Reservoir Heating by Hot Fluid Injection*, 312; Summary Nov. JPT, 96A

MASS TRANSFER: fluid components in a porous medium at constant saturation and fluid velocity, (Tech. Note) Jan. JPT, 57

MATERIAL BALANCE CALCULATIONS: effect of nonlinear behavior of elastic porous media, 179; Summary July JPT, 70
effect of pressure inversion, (Tech. Note) May JPT, 65

MATTAX, C. C., et al.: *Effect of Crude Oil Components on Rock Wettability*, 330 (Nov. JPT)

MATTHEWS, C. S., et al.: *Prediction of Injection Rate and Production History for Multifluid Five-Spot Floods*, 98 (May JPT)

MATTHEWS, C. S., and ROSENBAUM, M. J. F.: *Studies on Pilot Water Flooding*, 316 (Nov. JPT)

MCARTHUR, B. W., and HARDY, W. C.: *Application of Laboratory Data in Calculating the Primary Production History of the Cisco K-1 Reservoir*, (Tech. Note) Feb. JPT, 61

MCCARTY, D. G., and WELSH, J. R.: *A Critical Study of a Petroleum Engineering Computing Operation*, (Art.) May JPT, 19

MCCOBB, H. W.: *Opportunities for Petroleum Engineers in Overseas Work*, (Art.) Aug. JPT, 11

MCCOBB, H. W.: *United States Intensifies Quest for Foreign Oil; Russia Expands in World Markets During 1958*, (Art.) Feb. JPT, 14

MCCULLOUGH, J. J.: *Discussion on Acid Stimulation of a Fractured Shale Zone*, (Art.) Feb. JPT, 23

MCEWEN, C. R.: *A Numerical Solution of the Linear Displacement Equation with Capillary Pressure*, (Tech. Note) Aug. JPT, 45

MCLAUGHLIN, P. L.: *Slim-Hole Technology — An Economic Key to Future Drilling Development*, (Art.) July JPT, 16

MCNIEL, J. C., JR., et al.: *In Situ Combustion Process—Results of a Five-Well Field Experiment in Southern Oklahoma*, 55 (April JPT)

MEAD, H. N.: *Pressure Inversion and Material Balance Calculations*, (Tech. Note) May JPT, 65

MEADOW CREEK UNIT: *See* Wyoming

METHOD OF CHARACTERISTICS: use in determining boundary conditions for problems in reservoir analysis, 284; Summary Oct. JPT, 83
use in one-dimensional, incompressible, noncapillary, two-phase fluid flow in a porous medium, 290; Summary Oct. JPT, 84

MIGRATION OF FLUID: across fixed boundaries in reservoirs producing by fluid expansion, 78; Summary April JPT, 74

MIHRAM, R. G., et al.: *Minimization of Scale Deposits in Oil Wells by Placement of Phosphates in Producing Zones*, (Art.) March JPT, 29

MILLER, C. C., and DYES, A. B.: *Maximum Reservoir Worth—Proper Well Spacing*, 334 (Nov. JPT)

MILLICAN FIELD: *See* West Texas

MISCIBLE DISPLACEMENT: carbon dioxide slug followed by water increased oil recovery, 225 (Sept. JPT)
evaluation of diffusion effects, (Tech. Note) March JPT, 61
factors influencing the efficiency, 1 (Jan. JPT)
Millican field: pilot propane project completed in reef, field case history, May JPT, 27
transition zone: mass transfer of fluid components in a porous medium at constant saturation and fluid velocity, (Tech. Note) Jan. JPT, 57

MITCHELL, J. A.: *Turbodrill Operational Characteristics*, (Art.) March JPT, 16

MOBILITY RATIO: effect studied on pilot water flooding, 316 (Nov. JPT)
factor influencing the efficiency of miscible displacement, 1 (Jan. JPT)
production potential changes during sweep-out in a five-spot system, (Tech. Note) Dec. JPT, 63

MODELS: dynamic and potentiometric: studies on pilot water flooding, 316 (Nov. JPT)
flow: for studying effect of unsteady-state aquifer motion on the size of an adjacent gas storage reservoir, 18 (Feb. JPT)
for studying production potential changes during sweep-out in a five-spot system, (Tech. Note) Dec. JPT, 63
heat conduction: for studying transient phenomena, 33; Summary Feb. JPT, 22A
linear: torpedo sandstone used in laboratory investigation of water-driven carbon dioxide process, (Tech. Note) April JPT, 63
Lucite, scaled: factors influencing the efficiency of miscible displacement, 1 (Jan. JPT)
mathematical: used to determine effect of gas-oil ratio on behavior of fractured limestone reservoirs, (Tech. Note) May JPT, 68
network: used in study of unusual problem of bottom water coning and volumetric water invasion efficiency, Fosterton field, Canada, 130 (June JPT)
potentiometric: estimate swept areas after breakthrough in vertically fractured five-spot patterns, 73; Summary April JPT, 70
prediction of injection rate and production history for multifluid five-spot floods, 98 (May JPT)
studies of well arrays for in situ combustion experiment in Southern Oklahoma, 55 (April JPT)
use in design of pressure maintenance programs, (Art.) Dec. JPT, 17
thermal: use for studying transient pressure distributions in fluid displacement programs, (Tech. Note) Nov. JPT, 89
visual: study of instability of slow, immiscible, viscous liquid-liquid displacements in permeable media, 188; Summary July JPT, 64
MONAGHAN, P. H., et al.: *Influence of Propping Sand Wettability on Productivity of Hydraulically Fractured Oil Wells*, 324 (Nov. JPT)
MONAGHAN, P. H., et al.: *Laboratory Studies of Formation Damage in Sands Containing Clays*, 209 (Aug. JPT)
MOORE, J. M., and ROLLINS, J. T.: *Treatments To Improve the Performance of Injection, Disposal and Water Supply Wells*, (Art.) Sept. JPT, 37
MOORE, W. D., et al.: *An Analysis of Large-Scale Flooding in the Fractured Spraberry Trend Area Reservoir*, (Art.) April JPT, 15
MORGAN, B. E., et al.: *Laboratory Studies of Formation Damage in Sands Containing Clays*, 209 (Aug. JPT)
MOSS, J. T., et al.: *In Situ Combustion Process—Results of a Five-Well Field Experiment in Southern Oklahoma*, 55 (April JPT)
MORTADA, M.: *Discussion on A Generalized Water-Drive Analysis*, 177 (July JPT)
MUD LOGGING: improved interpretation method for salty muds, (Art.) Nov. JPT, 37
MUNGAN, N., and JESSEN, F. W.: *The Effect of Particle Size Distribution and Exchange Cation on Gel Properties of Fractionated Bentonite Suspensions*, (Tech. Note) Summary Dec. JPT, 74A

N

NATURAL GAS: calculation of the stabilized performance coefficient of low permeability wells, 240 (Sept. JPT)
design of gas storage fields, 44 (March JPT)
partner and competitor of crude oil producers, (Art.) May JPT, 13
NAUMANN, V. O., et al.: *Calculation of Relative Permeability from Displacement Experiments*, (Tech. Note) Jan. JPT, 61
NEILSEN, R. F., and GILCHRIST, R. E.: *Transfer of Fluid Components in a Porous Medium at Constant Saturation and Fluid Velocity*, (Tech. Note) Jan. JPT, 57
NORTHWEST BRANCH FIELD: *See* Louisiana
NORWOOD, B. C., et al.: *A New Experimental Model for Studying Transient Phenomena*, 33; Summary Feb. JPT, 22A
NUCLEAR EXPLOSIVES: use in exploitation of oil shale deposits, (Art.) June JPT, 20

O

ODEH, A. S.: *Effect of Viscosity Ratio On Relative Permeability*, 346 (Dec. JPT); discussion, 353
OFFSHORE DRILLING: mechanical-production aspects of the Rincon Island development, (Art.) March JPT, 33
OIL INDUSTRY: an engineer looks at the current plight, (Art.) Sept. JPT, 11
public relations and education, (Art.) March JPT, 12
OIL PRODUCTION: Alaska: from frozen reservoir rocks, Umiat oil field, (Tech. Note) Nov. JPT, 85
effect on growth of free enterprise system, (Art.) April JPT, 44
OIL RECOVERY: evaluation of waterflood prospects, (Art.) Oct. JPT, 11
increased by carbon dioxide solvent flooding, 225 (Sept. JPT)
laboratory investigation of the water-driven carbon dioxide process, (Tech. Note) April JPT, 63
mathematical description of detergent flooding, 277; Summary Oct. JPT, 83
production potential changes and effect of mobility ratio during sweep-out in a five-spot system, (Tech. Note) Dec. JPT, 63
theory and application of imbibition phenomena, (Tech. Note) Feb. JPT, 65
OIL RESERVOIRS: design and operation for gas storage fields, 44 (March JPT)
mathematical description of detergent flooding, 277; Summary Oct. JPT, 83
OIL SATURATIONS: triple-valued: meaning in noncapillary Buckley-Leverett theory, 271; Summary Oct. JPT, 82A
OIL SHALE: exploitation of deposits by nuclear explosives, (Art.) June JPT, 20
OIL WELLS: hydraulically fractured: influence of propping sand wettability on productivity, 324 (Nov. JPT)
OKLAHOMA: Pontotoc sand: field results of in situ combustion experiment, 55 (April JPT)
OPERATIONS: trends in U. S. and foreign during 1958, (Art.) Feb. JPT, 14
OPPORTUNITY: for engineers to provide technological advances, (Art.) Nov. JPT, 11
ORTLOFF, G. D., and BEESON, D. M.: *Laboratory Investigation of the Water-Driven Carbon Dioxide Process for Oil Recovery*, (Tech. Note) April JPT, 63
OSOBA, J. S., et al.: *Influence of Propping Sand Wettability on Productivity of Hydraulically Fractured Oil Wells*, 324 (Nov. JPT)
OVERSEAS OPERATIONS: opportunities for petroleum engineers, (Art.) Aug. JPT, 11
OWENS, H. JR., et al.: *Handling High Pressure Cycling Projects at Northwest Branch, Louisiana*, (Field Case Hist.) May JPT, 31

P

PARADOX BASIN, FOUR CORNERS: how oil wells are completed, field case history, Aug. JPT, 18
PARKER, C. F.: *Economics and Finance—The Roots of Corporate Enterprise*, (Art.) Feb. JPT, 31
PARKS, M. H.: *The Power of Concept*, (Art.) July JPT, 11
PARSONS, R. L.: *Discussion on Prediction of Approximate Time of Interference Between Adjacent Wells*, (Tech. Note) Oct. JPT, 77; discussion, Dec. JPT, 81
PARTICLE SIZE DISTRIBUTION: effect on gel properties of fractionated bentonite suspensions, (Tech. Note) Summary Dec. JPT, 74A
PATCHEN, F. D., et al.: *Water-In-Oil Emulsion Cements*, 252 (Oct. JPT)
PEACEMAN, D. W., et al.: *A Method for Calculating Multi-*

Dimensional Immiscible Displacement, 297; Summary Oct. JPT, 85
PECOS VALLEY FIELD: *See* Texas
PEDERSEN, J. N.: *Relating Slim-Hole Drilling Performance to South Louisiana Drilling Problems*, (Art.) Oct. JPT, 17
PERFORMANCE COEFFICIENT: calculation for low permeability natural gas wells, 240 (Sept. JPT)
PERKINS, T. K., et al.: *The Mechanics of Sand Movement in Fracturing*, (Tech. Note) July JPT, 55
PERMEABILITY RATIO: gas-oil: correlation with sandstone core characteristics, 258 (Oct. JPT)
PERMEABILITY STRATIFICATION: factor influencing the efficiency of miscible displacement, 1 (Jan. JPT)
prediction of injection rate and production history for multifluid five-spot floods, 98 (May JPT)
PERMEABILITY VARIATION: calculating recovery by cycling a retrograde condensate reservoir, (Art.) Jan. JPT, 29
PERRINE, R. L., and FAYERS, F. J.: *Mathematical Description of Detergent Flooding in Oil Reservoirs*, 277; Summary Oct. JPT, 83
PETROLEUM: its place in the future energy requirements of the U. S., (Art.) July JPT, 22
PETROLEUM ENGINEERING: critical study of an automatic computing operation, (Art.) May JPT, 19
drastic decrease forecast in number of petroleum engineering graduates, (Art.) April JPT, 11
PETROLEUM ENGINEERS: another look at the future demand, (Art.) Dec. JPT, 14
opportunities in overseas work, (Art.) Aug. JPT, 11
PHASE BEHAVIOR: rich gas-condensate systems, effect of composition and temperature, (Tech. Note) July JPT, 58
PHELPS, T. W.: *Petroleum's Place in the Future Energy Requirements of the United States*, (Art.) July JPT, 22
PILGRAM, K. F.: *Discussion on Acid Stimulation of a Fractured Shale Zone*, (Art.) Feb. JPT, 23
PINSON, J. M., et al.: *Swept Areas After Breakthrough in Vertically Fractured Five-Spot Patterns*, 73; Summary April JPT, 70
PITZER, S. C., et al.: *A Comparison of Theoretical Pressure Build-Up Curves with Field Curves Obtained from Bottom-Hole Shut-In Tests*, (Tech. Note) Aug. JPT, 49
PLUGGING AGENTS: alum-ammonia for formation water shut-off in sand-type porosity in air drilling, 163 (July JPT)
future development of water control method in air drilling operations, (Art.) Dec. JPT, 37
silicon tetrafluoride gas for formation water shut-off in air drilling, (Addendum to T.P. 8070), 168 (July JPT)
POETTMANN, F. H., and SCHILSON, R. E.: *Calculation of the Stabilized Performance Coefficient of Low Permeability Natural Gas Wells*, 240 (Sept. JPT)
POLLARD, P.: *Evaluation of Acid Treatments from Pressure Build-up Analysis*, 38 (March JPT)
POLYPHOSPHATE TREATMENT: inhibiting scale deposits in oil wells, (Art.) March JPT, 29
PONTOTOC SAND: *See* Oklahoma
PORE VOLUME: dead-end: pressure transients in porous media, (Tech. Note) Dec. JPT, 66
POROSITY: intergranular: water shut-off method used in air drilling, 163 (July JPT)
measurement by acoustic velocity log, 262 (Oct. JPT)
POROUS MEDIA: *See also* Reservoir Rocks
clay dispersed: laboratory studies of formation damage, 209 (Aug. JPT)
effect of capillary pressure and gravity on two-phase fluid flow, 147; Summary June JPT, 70A
effect of fractional wettability on multiphase flow, (Tech. Note) Oct. JPT, 71
elliptic boundaries: unsteady-state liquid flow, (Tech. Note) Summary Dec. JPT, 75
evaluation of acoustic velocity log for measurement of formation porosity, 262 (Oct. JPT)
factors influencing the efficiency of miscible displacement, 1 (Jan. JPT)
measuring three-component saturation by X-ray techniques, 216; Summary Aug. JPT, 58
new experimental model for studying transient phenomena, 33; Summary Feb. JPT, 22A
one-dimensional, incompressible, noncapillary, two-phase fluid flow, 290; Summary Oct. JPT, 84
pressure transients in dead-end pore volume, (Tech. Note) Dec. JPT, 66
transfer of fluid components at constant saturation and fluid velocity, (Tech. Note) Jan. JPT, 57
POWER, H. P.: *One Hundred Years of Progress in Petroleum Production Engineering*, (Art.) Jan. JPT, 11
POWER: what is it? (Art.) July JPT, 11
PRATS, M., et al.: *Prediction of Injection Rate and Production History for Multifluid Five-Spot Floods*, 98 (May JPT)
PRESSURE: *See also* Reservoir Pressure
effect on cavities in salt domes, 341 (Dec. JPT)
inversion: effect on material balance calculations, (Tech. Note) May JPT, 65
laboratory study of effect of overburden, formation and mud column pressures on drilling rate of permeable formations, 9 (Jan. JPT)
simplified water influx calculations above the bubble point, (Tech. Note) Sept. JPT, 89
PRESSURE BUILD-UP ANALYSES: evaluation of acid treatments, 38 (March JPT)
multiphase: theoretical foundation and the simplified equations of flow in gas drive reservoirs, 321 (Oct. JPT)
two-phase: effect of gas saturation on static pressure calculations, 49; Summary March JPT, 64A
PRESSURE DISTRIBUTIONS: use of new laboratory model for studying transient condition in fluid displacement programs, (Tech. Note) Nov. JPT, 89
PRESSURE MAINTENANCE: *See also* Gas Injection and Water Flooding
novel operation in a large stratigraphic trap, (Art.) Aug. JPT, 13
SACROC unit operations as of January 1, 1959, field case history, Nov. JPT, 31
use of potentiometric analyzer, model studies in designing programs, (Art.) Dec. JPT, 17
PRESSURE PROFILES: use in predicting approximate time of interference between adjacent wells, (Tech. Note) Oct. JPT, 77
PRESSURE TRANSIENTS: influence of dead-end volume in porous media, (Tech. Note) Dec. JPT, 66
PRODUCTION ENGINEERING: one hundred years of progress in petroleum, (Art.) Jan. JPT, 11
PRODUCTION HISTORY: Cisco K-1 reservoir: application of laboratory data in calculating, (Tech. Note) Feb. JPT, 61
prediction for multifluid five-spot flood, mathematical analysis and potentiometric study, 98 (May JPT)
PRODUCTION POTENTIAL: changes during sweepout in a five-system, (Tech. Note) Dec. JPT, 63
PRODUCTION PRACTICE: mechanical-production aspects of the Rincon Island development, (Art.) March JPT, 33
PROFITABILITY INDEXES: for economic evaluations, (Art.) Nov. JPT, 20
PUBLIC RELATIONS: your oil industry and you, (Art.) March JPT, 12
PUTNAM, J. A., and LAIRD, A. D. K.: *Three Component Saturation in Porous Media by X-Ray Techniques*, 216; Summary Aug. JPT, 58
PYLE, H. C.: *An Engineer Looks at the Current Plight of Business and Industry*, (Art.) Sept. JPT, 11

R

RACHFORD, H. H. JR., et al: *A Method for Calculating Multi-Dimensional Immiscible Displacement*, 297; Summary Oct. JPT, 85
RAMEY, H. J. JR.: *Transient Heat Conduction During Radial*

Movement of a Cylindrical Heat Source—Applications to the Thermal Recovery Process, 115; Summary May JPT, 75

RAND, W. W.: *Drilling From Floating Vessels Now Economically Carried Out Off California Coast*, (Art.) Sept. JPT, 35

RAYNE, J. R., et al: *Factors Influencing the Efficiency of Miscible Displacement*, 1 (Jan. JPT)

REED, P. W., et al: *Progress Report of LPG Injection in the Meadow Creek Unit, Lakota B Reservoir*, (Art.) July JPT, 26

RELATIVE PERMEABILITY: calculation from displacement experiments, (Tech. Note) Jan. JPT, 61

effect of viscosity ratio, 346 (Dec. JPT)

RESERVOIR ANALYSIS: use of the method of characteristics in determining boundary conditions, 284; Summary Oct. JPT, 83

RESERVOIR HEATING: by hot fluid injection, 312; Summary Nov. JPT, 96A

RESERVOIR OIL: properties and behavior, Aneth field, Utah. field case history, Nov. JPT, 33

RESERVOIR PRESSURE: *See also* Pressure

static: calculations from two-phase pressure build-up curves, effect of gas saturation, 49; Summary March JPT, 64A

RESERVOIR ROCK: *See also* Porous Media

alternation of properties by percussion sidewall coring, (Tech. Note) April JPT, 59

effects of crude oil components on wettability, 330 (Nov. JPT)

frozen: oil production from Umiat oil field, Alaska, (Tech. Note) Nov. JPT, 85

instability of slow, immiscible viscous liquid-liquid displacements, 188; Summary July JPT, 64

laboratory study of breakage by rotary drilling, 92 (May JPT); discussion, Dec. JPT, 78A

nonlinear behavior of elasticity, 179; Summary July JPT, 70

observations relating to wettability, 156; Summary June JPT, 73

resistivity: laboratory study indicates significant effect of overburden and fluid pressure, (Art.) April JPT, 20

RESERVOIRS: producing by fluid expansion: fluid migration across fixed boundaries, 78; Summary April JPT, 74

RESISTANCE FUNCTION: use in a generalized water-drive analysis, 169 (July JPT)

RESISTIVITY: reservoir rock: laboratory study indicates significant effect of overburden and fluid pressure, (Art.) April JPT, 20

REYNOLDS, F. S.: *Discounted Cash Flow as a Measure of Market Value*, (Art.) Nov. JPT, 15

REYTOR, R. S., and JONES-PARRA, J.: *Effect of Gas-Oil Ratio on the Behavor of Fractured Limestone Reservoirs*, (Tech. Note) May JPT, 68

RICE, J. D., et al: *A Comparison of Theoretical Pressure Build-up Curves with Field Curves Obtained from Bottom-Hole Shut-in Tests*, (Tech. Note) Aug. JPT, 49

RICHARDSON, J. G., and GRAHAM, J. W.: *Theory and Application of Imbibition Phenomena in Recovery of Oil*, (Tech. Note) Feb. JPT, 65

RILEY, E. A.: *Hydraulic Fracturing in Waterflood Operations in Kermit, Cherrykirk and Pecos Valley Fields*, (Art.) Sept. JPT, 15

RINCON ISLAND: *See* California

ROBERTS, A. P.: *Future Development of Water Control Method in Air Drilling Operations*, (Art.) Dec. JPT, 37

ROBINSON, L. H., JR.: *Effects of Pore and Confining Pressures on Failure Characteristics of Sedimentary Rocks*, 26; Summary Feb. JPT, 72A

ROCKS: *See* Reservoir Rocks

ROCKY MOUNTAIN AREA: *application of density logging*, (Art.) Dec. JPT, 29

ROLLINS, J. T., and MOORE, J. M.: *Treatments to Improve the Performance of Injection, Disposal and Water Supply Wells*, (Art.) Sept. JPT, 37

ROLLINS, J. T., and TAYLOR, L. C.: *Using Heat In Combination with Solvents To Clean Up Formation Flow Channels*, (Art.) Oct. JPT, 33

ROSENBAUM, M. J. F., and MATTHEWS, C. S.: *Studies on Pilot Water Flooding*, 316 (Nov. JPT)

ROSENBERG, M., and TAILLEUR, R. J.: *Increased Drill Bit Life Through Use of Extreme Pressure Lubricant Drilling Fluids*, 195 (Aug. JPT)

RUSSIA: expands in world markets during 1958, (Art.) Feb. JPT, 14

relying on Turbodrill to help meet future production quota, (Art.) March JPT, 19

S

SACROC UNIT: pressure maintenance operations as of January 1, 1959, field case history, Nov. JPT, 31

SALATHIEL, R. A., et al: *Laboratory Studies of Formation Damage in Sands Containing Clays*, 209 (Aug. JPT)

SALNIKOV, I. S.: *Soviets Relying on Turbodrill to Help Meet Future Production Quota*, (Art.) March JPT, 19

SALT DOME CAVITIES: effect of pressure and temperature, 341 (Dec. JPT)

SALTY MUDS: improved interpretation method for logging, (Art.) Nov. JPT, 37

SAND MOVEMENT: mechanics in fracturing, (Tech. Note) July JPT, 55

SANDSTONE: correlation of k_g/k_a data with sandstone core characteristics, 258 (Oct. JPT)

SAYRE, A. T. JR., and WEYLER, J. R.: *A Novel Pressure Maintenance Operation in a Large Stratigraphic Trap*, (Art.) Aug. JPT, 13

SCALA, C. and BERNSTEIN, F.: *Some Aspects of the Streaming Potential and the Electrochemical SP in Shales*, (Tech. Note) Summary Dec. JPT, 76

SCALE DEPOSITS: minimizing in oil wells by placement of phosphates in producing zones, (Art.) March JPT, 29

SCHILSON, R. E., and POETTMANN, F. H.: *Calculation of the Stabilized Performance Coefficient of Low Permeability Natural Gas Wells*, 240 (Sept. JPT)

SCHWEIZER, J. L., and DAVIS, W. B.: *Natural Gas—Partner and Competitor*, (Art.) May JPT, 13

SEDIMENTARY ROCKS: effects of pore and confining pressures on failure characteristics, 26; Summary Feb. JPT, 72A

SEGESMAN, F., and TIXIER, M. P.: *Some effects of Invasion on the SP Curve*, 138 (June JPT)

SHELDON, J. W., et al: *One-Dimensional, Incompressible, Noncapillary, Two-Phase Fluid Flow in a Porous Medium*, 290; Summary Oct. JPT, 84

SHELDON, J. W., and FAYERS, F. J.: *The Effect of Capillary Pressure and Gravity on Two-Phase Fluid Flow in a Porous Medium*, 147; Summary June JPT, 70A

SHELDON, W. C.: *Calculating Recovery by Cycling a Retrograde Condensate Reservoir*, (Art.) Jan. JPT, 29

SHUT-IN TESTS: bottom-hole: comparison of field curves with theoretical pressure build-up curves, (Tech. Note) Aug. JPT, 49

SIKORA, V. J., and HUTCHINSON, T. S.: *A Generalized Water-Drive Analysis*, 169 (July JPT)

SILICON TETRAFLUORIDE GAS: use as a formation plugging agent, (Addendum to T.P. 8070), 168 (July JPT)

SIMMONS, J., et al: *Swept Areas After Breakthrough in Vertically Fractured Five-Spot Patterns*, 73; Summary April JPT, 70

SIMON, R.: *Discussion on A Laboratory Study of Rock Breakage by Rotary Drilling*, 78A (Dec. JPT)

SKIN RESISTANCE: role in evaluation of acid treatments from pressure build-up analysis, 38 (March JPT)

SOLLIDAY, A. L.: *The Engineering of Managers*, (Art.) Dec. JPT, 11

SOLUTION GAS DRIVE: application of laboratory data in calculating the performance of the Cisco K-1 reservoir, (Tech. Note) Feb. JPT, 61

effect of pressure inversion on material balance calculations, (Tech. Note) May JPT, 65

microscopic observations of behavior, (Art.) June JPT, 13
proper well spacing for maximum reservoir worth, 334 (Nov. JPT)
SOLVENTS: use in combination with heat to clean up formation flow channels, (Art.) Oct. JPT, 33
SOMERTON, W. H.: *A Laboratory Study of Rock Breakage by Rotary Drilling*, 92 (May JPT); discussion, Dec. JPT, 78A
SONIC LOGGING: *See* Acoustic Velocity Logging
SP LOG: interpretation of streaming potential phenomena, 203 (Aug. JPT)
some aspects of the streaming potential and the electrochemical potential in shales, (Tech Note) Summary Dec. JPT, 76
some effects of invasion, 138 (June JPT)
SPRABERRY TREND: analysis of large-scale flooding in the fractured reservoir, (Art.) April JPT, 15
STEVENS, W. F., and THODOS, G.: *Prediction of Approximate Time of Interference Between Adjacent Wells*, (Tech. Note) Oct. JPT, 77; discussion, Dec. JPT, 78
STEWART, F. M.: *Simplified Water Influx-Pressure Calculations Above the Bubble Point*, (Tech. Note) Sept. JPT, 89
STIMULATION OF OIL WELLS: acidizing of a fractured shale zone in California wells, (Art.) Feb. JPT, 19
STIMULATION OF PRODUCTION AND INJECTION WELLS: use of heat in combination with solvents, (Art.) Oct. JPT, 33
STOKEY, E. W., and MALONE, B. C.: *New Technique for Positive Testing of Wildcat Formations*, (Art.) Dec. JPT, 25
STRATIGRAPHIC TRAP: novel pressure maintenance operation, (Art.) Aug. JPT, 13
STREAMING POTENTIAL: effects on SP log in shales, (Tech. Note) Summary Dec. JPT, 76
phenomena in SP log interpretation, 203 (Aug. JPT)
STURDIVANT, W. C. JR.: *Pilot Propane Project Completed in West Texas Reef*, (Field Case Hist.) May JPT, 27
SUDBURY, J. D., et al: *Field Evaluation of Cathodic Protection of Casing*, 354 (Dec. JPT)
SWIFT, G.: *Dip-Log Computer Chart*, (Art.) Sept. JPT, 23

T

TAILLEUR, R. J., and ROSENBERG, M.: *Increased Drill Bit Life Through Use of Extreme Pressure Lubricant Drilling Fluids*, 195 (Aug. JPT)
TAYLOR, L. C., and ROLLINS, J. T.: *Using Heat In Combination with Solvents to Clean Up Formation Flow Channels*, (Art.) Oct. JPT, 33
TEK, M. R., et al: *Unsteady-State Liquid Flow Through on the Size of an Adjacent Gas Storage Reservoir*, 18 (Feb. JPT)
TEK, M. R., et al: *Method for Predicting the Behavior of Mutually Interfering Gas Reservoirs Adjacent to a Common Aquifer*, 247; Summary Sept. JPT, 231A
TEK, M. R., et al: *Unsteady-State Liquid Flow Through Porous Media Having Elliptic Boundaries*, (Tech. Note) Summary Dec. JPT, 75
TEMPERATURE: effect on cavities in salt domes, 341 (Dec. JPT)
TEPLITZ, A. J., and GOODWIN, R. J.: *A Water Shut-Off Method for Sand-Type Porosity in Air Drilling*, 163 (July JPT)
TERRY, W. M., et al: *Factors Influencing the Efficiency of Miscible Displacement*, 1 (Jan. JPT)
TEXAS: Cherrykirk field: hydraulic fracturing in waterflood operations, (Art.) Sept. JPT, 15
Cisco K-1 reservoir: application of laboratory data in calculating solution gas-drive performance, (Tech. Note) Feb. JPT, 61
Kelly-Snyder reservoir: equilibrium calculations, (Tech. Note) Sept. JPT, 92
Kermit field: hydraulic fracturing in waterflood operations, (Art.) Sept. JPT, 15
Pecos Valley field: hydraulic fracturing in waterflood operations, (Art.) Sept. JPT, 15
SACROC unit operations: pressure maintenance as of January 1, 1959, field case history, Nov. JPT, 31
South: Frio sand, effect of composition and temperature on phase behavior and depletion performance of rich gas-condensate systems, (Tech. Note) July JPT, 58
West: Millican field, pilot propane project completed in reef, field case history, May JPT, 27
THERMAL RECOVERY OF OIL: heat conduction in underground combustion, 123; Summary May JPT, 74A
results of a five-well field experiment in Southern Oklahoma, 55 (April JPT)
transient heat conduction during radial movement of a cylindrical heat source, 115; Summary May JPT, 75
THODOS, G., and STEVENS, W. F.: *Prediction of Approximate Time of Interference Between Adjacent Wells*, (Tech. Note) Oct. JPT, 77; discussion, Dec. JPT, 78
THOMAS, C. E., et al: *A Comparison of Theoretical Pressure Build-Up Curves with Field Curves Obtained from Bottom-Hole Shut-In Tests*, (Tech. Note) Aug. JPT, 49
THOMAS, J. B., and ALLEN, H. H.: *Pressure Maintenance in SACROC Unit Operations*, January 1, 1959, (Field Case Hist.) Nov. JPT, 42
TIXIER, M. P., and SEGESMAN, F.: *Some Effects of Invasion on the SP Curve*, 138 (June JPT)
TIXIER, M. P., et al: *Sonic Logging*, 106 (May JPT)
TOWLE, G.: *An Improved Interpretation Method for Salt Mud Logging*, (Art.) Nov. JPT, 37
TRANSITION ZONE: growth of, in mass transfer of fluid components in a porous medium at constant saturation and fluid velocity, (Tech. Note) Jan. JPT, 57
TRANSMISSION FACTORS: used to measure three-component saturation in porous media, 216; Summary Aug. JPT, 58
TURBODRILL: field test program appraise components, (Art.) March JPT, 15
French utilization of, (Art.) March JPT, 17
future; discussion by experts, (Art.) March JPT, 14
operational characteristics, (Art.) March JPT, 16

U

UNITED STATES: experts discuss future of turbodrill, (Art.) March JPT, 14
intensifies quest for foreign oil, (Art.) Feb. JPT, 14
petroleum's place in future energy requirements, (Art.) July JPT, 22
UNITIZATION: summary and engineering functions, (Art.) Oct. JPT, 30
UTAH: Aneth field: properties and behavior of reservoir oil, field case history, Nov. JPT, 33

V

VAN DER KNAPP, W.: *Nonlinear Behavior of Elastic Porous Media*, 179; Summary July JPT, 70
VAN DER POEL, C., et al: *The Instability of Slow, Immiscible, Viscous Liquid-Liquid Displacements in Permeable Media*, 188; Summary July JPT, 64
VAN LINGEN, N. H., and GARNIER, A. J.: *Phenomena Affecting Drilling Rates at Depth*, 232 (Sept. JPT)
VAN MEURS, P., et al: *The Instability of Slow, Immiscible, Viscous Liquid-Liquid Displacements in Permeable Media*, 188; Summary July JPT, 64
VARY, J. A., et al: *Design of Gas Storage Fields*, 44 (March JPT)
VAZQUEZ, S.: *The World Oil Industry and Its Challenge to the Technical Man in Venezuela*, (Art.) Nov. JPT, 54
VENEZUELA: its challenge to the technical man and the world oil industry, (Art.) Nov. JPT, 54
VISCOMETER: improved high pressure capillary tube type, 85; Summary April JPT, 71
VISCOSITY: correlation for gas-saturated crude oils, 23 (Feb. JPT)
VISCOSITY RATIO: effect on relative permeability, 346 (Dec. JPT)

W

WAGNER, O. R., and LEACH, R. O.: *Improving Oil Displacement Efficiency by Wettability Adjustment*, 65 (April JPT)

WALKER, J. W., et al.: *An Improved Pendant Drop, Interfacial Tension Apparatus and Data for Carbon Dioxide and Water*, (Tech. Note) Summary Dec. JPT, 77

WASICEK, J. J., et al: *An Integrated Design of Lease Programing and Custody Transfer Facilities*, (Art.) June JPT, 16

WATER CONING: bottom: Fosterton field, Canada; an unusual problem, 130 (June JPT)

WATER DRIVE: carbon dioxide process: laboratory investigation, (Tech. Note) April JPT, 63
- generalized analysis, 169 (July JPT)
- oil reservoirs: computing techniques for predicting the pressure-production behavior, (Tech. Note) June JPT, 65
- effect of unsteady-state aquifer motion on the size of an adjacent gas storage reservoir, 18 (Feb. JPT)
- proper well spacing for maximum reservoir worth, 334 (Nov. JPT)

WATER FLOODING: analysis of fractured Sprayberry Trend area reservoir, (Art.) April JPT, 15
- effect of hydraulic fracturing in operations in Kermit, Cherrykirk and Pecos Valley fields, (Art.) Sept. JPT, 15
- effect of vertical fractures on the areas swept after breakthrough in five-spot patterns, 73; Summary April JPT, 70
- evaluation of prospects and factors controlling recovery, (Art.) Oct. JPT, 11
- experiments: calculation of relative permeability, (Tech. Note) Jan. JPT, 61
- flood water analyses and interpretation, (Art.) June JPT, 22
- improving oil displacement efficiency by wettability reversal, 65 (April JPT)
- prediction of injection rate and production history for multifluid five-spot, 98 (May JPT)
- pressure maintenance of oil reservoirs in the Ural-Volga region of Russia, (Art.) March JPT, 19
- studies on pilot floods: mathematical and analog methods, 316 (Nov. JPT)
- theory and application of imbibition phenomena in recovery of oil, (Tech. Note) Feb. JPT, 65

WATER INFLUX: simplified pressure calculations above the bubble point, (Tech. Note) Sept. JPT, 89

WATER INJECTION: capacity: new method of restoring wells plugged with iron sulfide and free sulfur, (Art.) Sept. JPT, 12

WATERS, A. B., et al: *Minimization of Scale Deposits in Oil Wells by Placement of Phosphates in Producing Zones*, (Art.) March JPT, 29

WATER SHUT-OFF METHODS: *See* Plugging Agents

WATER SUPPLY WELLS: treatments to improve the performance, (Art.) Sept. JPT, 37

WATKINS, P. B.: *Economic Evaluations*, (Art.) Nov. JPT, 20

WEBER, A. G., et al: *Computing Techniques for Water-Drive Reservoirs*, (Tech. Note) June JPT, 65

WEBSTER, G. M., and DAWSONGROVE, G. E.: *The Alteration of Rock Properties by Percussion Sidwall Coring*, (Tech. Note) April JPT, 59

WEINAUG, C. F.: *Discussion on Effect of Viscosity Ratio on Relative Permeability*, 353 (Dec. JPT)

WELL COMPLETION: dual: for oil and gas wells, (Art.) Dec. JPT, 24

WELL INTERFERENCE: between adjacent wells: prediction of approximate time, (Tech. Note) Oct. JPT, 77

WELL LOGGING: sonic: principle, equipment, and field operation, 106 (May JPT)

WELL SPACING: problems concerning conservation rules and practices, (Art.) May JPT, 11
- study of proper spacing for maximum reservoir worth, 330 (Nov. JPT)

WELL TEST: new technique for wildcat formations, (Art.) Dec. JPT, 25

WELL TREATMENT: improves performance of injection, disposal and water supply wells, (Art.) Sept. JPT, 37
- new method of restoring water injection capacity when plugged with iron sulfide and free sulfur, (Art.) Sept. JPT, 12

WELSH, J. R., and MCCARTY, D. G.: *A Critical Study of a Petroleum Engineering Computing Operation*, (Art.) May JPT, 19

WETTABILITY: adjusting to improve oil displacement efficiency, 65 (April JPT)
- fractional: effect on multiphase flow through porous media, (Tech. Note) Oct. JPT, 71
- observations relating to porous rock, 156; Summary June JPT, 73
- propping sand: influence on productivity of hydraulically fractured oil wells, 324 (Nov. JPT)
- reservoir rock: effects of crude oil components, 330 (Nov. JPT)

WEYLER, J. R., and SAYRE, A. T. JR.: *A Novel Pressure Maintenance Operation in a Large Stratigraphic Trap*, (Art.) Aug. JPT, 13

WHARTON, H. J.: *Effect of Petroleum Production on Growth of Free Enterprise System*, (Art.) April JPT, 44

WHITE, P. D., et al: *In Situ Combustion Process—Results of a Five-Well Field Experiment in Southern Oklahoma*, 55 (April JPT)

WHITING, R. L.: *Drastic Decrease Forecast in Number of Petroleum Engineering Graduates*, (Art.) April JPT, 11

WILDCAT FORMATIONS: new technique for positive testing, (Art.) Dec. JPT, 25

WITTE, M. D. and CAUDLE, B. H.: *Production Potential Changes During Sweep-Out in a Five-Spot System*, (Tech. Note) Dec. JPT, 63

WORLD OIL INDUSTRY: its challenge to the technical man in Venezuela, (Art.) Nov. JPT, 54

WYANT, R. E., et al: *The Mechanics of Sand Movement in Fracturing*, (Tech. Note) July JPT, 55

WYOMING: Gebo field: field consolidation of fractured core, (Art.) Dec. JPT, 35
- Meadow Creek unit, Lakota B reservoir: progress report of LPG injection operation, (Art.) July JPT, 26

X

X-RAY TECHNIQUES: measuring three-component saturation in porous media, 216; Summary Aug. JPT, 58

Z

ZAFFARANO, R. F., et al: *Properties and Behavior of Reservoir Oil in the Aneth Field, Utah*, (Field Case Hist.) Nov. JPT, 33

ZONDEK, B., et al: *One-Dimensional, Incompressible, Noncapillary, Two-Phase Fluid Flow in a Porous Medium*, 290; Summary Oct. JPT, 84